



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200
Fax 613 632-5246

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
PO041051	MES002- VC	2	1	Net 30	MT-4140-S-0.750	AISI 4140 / 4142 Steel Sheet 0.750" MATERIAL: AISI 4140 / 4142 STEEL SHEET OR PLATE MINIMUM ROCKWELL C = 28 Rc MAXIMUM ROCKWELL C = 32 Rc AS PER ASTM A829, AMS 6395				11	9/24/2018	11		S115229	Stock	10/2/2018	\$ 113.65 / sf	0		\$1,278.56	Metaux Solutions
		5			MT-4140-S- 1.500X3.000	4140 Steel Bar 1.500 X 3.000 ; AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN; ROCKWELL C = 28 RC MAX; ROCKWELL C = 32 RC receive ft				4		4		S115230	Stock	10/2/2018	\$ 49.30 / ft	0		\$197.20	Metaux Solutions
		6			MT-4140-S- 2.000X6.000	4140 Steel Plate 2.000" X 6.000" ; AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN; ROCKWELL C = 28 RC MAX; ROCKWELL C = 32 RC						4		S115231	Stock	10/2/2018	\$ 126.15 / ft	0		\$504.60	Metaux Solutions

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
		7			MT-4140-S-1.250X2.125	AISI 4140 / 4142 Steel Plate 1.250" X 2.125" : AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN: ROCKWELL C = 28 RC MAX: ROCKWELL C = 32 RC				6	9/28/2018	6		S115232	Stock	10/2/2018	\$ 30.45 / ft	0		\$182.70	Metaux Solutions
		13			M304B0.250x0.500	304 Bar .250 X .500 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft				500	9/24/2018	520		S115233	Stock	10/2/2018	\$ 4.05 / pcs	0		\$2,107.09	Metaux Solutions
Total:										525		545								\$3,326.94	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041051**

Supplier: MES002-VC
Metaux Solutions
2625 boul Jacques-Cartier Est
Longueuil
QC
J4N 1L7 Canada
Phone: 800 558 8858
Fax: 514 633 8044

PO No: PO041051
PO Date: 9/18/18
Due Date: 9/24/18
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Phone:

E-MAILED
SEP 19 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments: BID NO. 29032,29089, 29087

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1 M		M1018S.250	HP14	M1018S.250 : AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W NO SCALE ON SHEET MINIMUM YIELD TENSILE STRENGTH= 28KSI MINIMUM ULIMATE TENSILE STRENGTH= 42KSI COLD ROLLED receive sf	Firmed	-	9/24/18	16 sf	0 sf	16 sf	\$13.30/sf	\$212.80
2 M		MT-4140-S-0.750	MP3441H	AISI 4140 / 4142 Steel Sheet 0.750" : MATERIAL: AISI 4140 / 4142 STEEL SHEET OR PLATE MINIMUM ROCKWELL C = 28 Rc MAXIMUM ROCKWELL C = 32 Rc AS PER ASTM A829, AMS 6395	Firmed	-	9/24/18	11.333 sf	0 sf	11 sf	\$113.65/sf	\$1,288.00
3 M		M304R0.750	SR344	304 SS Roundbar .750 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	9/24/18	12 ft	0 ft	12 ft	\$7.60/ft	\$91.20



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041051**

Items												
Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
4 61		M6061T6B1.000X02.000	AF12	6061-T6 Bar 1.00 X 2.00 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	9/24/18	48 ft	0 ft	48 ft	\$11.05/ft	\$530.40
5 *		Mt-4140-S-1.500X3.000	MP11241H	4140 Steel Bar 1.500 X 3.000 : AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN: ROCKWELL C = 28 RC MAX: ROCKWELL C = 32 RC receive ft	Firmed	-	9/24/18	4 ft	0 ft	4 ft	\$49.30/ft	\$197.20
6 *		MT-4140-S-2.000X6.000	MP241H	4140 Steel Plate 2.000" X 6.000" : AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN: ROCKWELL C = 28 RC MAX: ROCKWELL C = 32 RC	Firmed	-	9/24/18	4 ft	0 ft	4 ft	\$126.15/ft	\$504.60
7 *		MT-4140-S-1.250X2.125	MP11441H	AISI 4140 / 4142 Steel Plate 1.250" X 2.125" : AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN: ROCKWELL C = 28 RC MAX: ROCKWELL C = 32 RC	Firmed	-	9/28/18	6 ft	0 ft	6 ft	\$30.45/ft	\$182.70
8 61		M6061T6B1.500X3.500	AF112312	6061T6 Bar 1.500 X 3.500 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	9/28/18	6 ft	0 ft	6 ft	\$44.45/ft	\$266.70



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041051**

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
9 ✓ AT		M6061T6S.080	AS08061	6061-T6 .080 Sheet : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf	Firmed	-	9/28/18	96 sf ✓	0 sf 96 sf	96 sf	\$10.90/sf	\$1,046.40 AT 18/10/01
10 ✓ AT		M304B0.375X03.000		M304 SS bar .375 x 3.00 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	9/28/18	12 ft ✓	0 ft 12 ft	12 ft	\$21.10/ft	\$253.20 AT 18/10/01
11 ✓ AT		M304R0.375	SR384	304 Round Bar 0.375 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	9/28/18	36 ft ✓	0 ft 12 ft	36 ft	\$2.75/ft	\$99.00 AT 18/10/01
12 ✓ AT		M303R0.750	SR343	303 Round Bar 0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE: 304/316 NOT ACCEPTABLE receive ft	Firmed	-	9/28/18	12 ft ✓	0 ft 12 ft	12 ft	\$7.86/ft	\$94.32 AT 18/10/01
13 ✓ AT		M304B0.250x0.500		304 Bar .250 X .500 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	9/24/18	500 pcs ✓	0 pcs 520 ft	500 pcs	\$4.0521/pcs	\$2,026.05 AT 18/10/02

Grand Total: \$6,792.57

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 9/18/18 9:13 AM dart.lavoie.chantal

Shipping Order

02/10/2018

METALUX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7 Tel.: 450 641-3330

Order : 185133
Reference : 41051
Bid : 29089
Ship : PICK UP / PICK UP

Customer: 6323336

Ship To

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
HP14	MS PLATE .250 1 x 4' x 4' ht;154894	16		
MP3441H	4140 HTSR TFA PLATE .750 THICK P.M 1 x 33.75" x 48" ht; 94790 AI	368		
SR344	304 ROU .750 DIA 1 X 12' R/L ***** HT;644D	12		
AF12	ALU FLA 1.000 X 2.000 6061-T6 4 X 12' **** HT;73242	48		
MP11241H	4140 HTSR PLATE 1.5" THICK 1 X 3" X 48" HT; 94789 AI	68		
MP241H	4140 HTSR PLATE 2.035" THICK 1 X 6" X 48" HT 94960 AI	174		
MP11441H	4140 HTSR PLATE 1.250" THICK	63		

*** Continued on Next Page ***

METAUX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7 *Tel.* : 450 641-3330

Shipping Order 02/10/2018

Order : 185133
Reference : 41051
Bid : 29089
Ship : PICK UP / PICK UP

Customer : 6323336

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Ship To

Same

Tel.: 1 613 632-3336

<i>Item No.</i>	<i>Description</i>	<i>Qty</i>	<i>Qty. Delivered</i>	<i>B/O Qty</i>
AF112312	1 X 2 125" X 72" HT;94492 <i>AT</i> ALUM. FLAT 1.5 X 3.5 6061-T6 1 X 72" ***** HT;z00114141	6		
AS08061	ALU SHE .080 6061-T6 (12G) 2 X 4' X 12' HT;427791	96		
SF3834	304 FLA .375 X 3.000 1 X 12' R/L HT;L5E7	12		
SR384	304 ROU .375 DIA 1 X 12' R/L HT;1802AR4796	12		
SR343	303 ROU .750 DIA 1 X 12' R/L HT;819E	12		
SF14124HR	304 STAIN FLA .25" X .500" HR 40 X 13' R/L HT;67736108 <i>AT</i> LIVRE NOTRE CAMION JP	520		

Page : 2

Shipping : _____

Ref. : _____

Package No : _____

Merchandise Received: _____

CERTIFICAT D'ANALYSE

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

2 oct. 2018

Part Number	Description	Shipped Qty
-------------	-------------	-------------

MST07500	Plate 3/4 4140/42 Prehard	1,086 Pounds
----------	---------------------------	--------------

34.00000 x 145.37500

ASTM A-829

DFARS Compliant

Country of Origin: USA

Lot: 426715A

PM Heat: 94790

BHN: 293

C: 0.4200	Mn: 0.8000	P: 0.0140	S: 0.0060	Si: 0.2500
Cr: 0.9000	Mo: 0.1700	Cu: 0.2300	V: 0.0430	Ni: 0.1000


ITEM 2: 1 X 33.75" X 48"

COMMANDE : 138217

REF : 41051

Métaux Solutions inc. certifie que les analyses sur ce document sont exactes et que le matériel rencontre les spécifications énumérées.

Préparé par



8 7 6 5 4 3 2 1

REV.	DESCRIPTION	ECN #	DATE	BY	APPROVED
A	NEW ISSUE	18-544	18.2.13	VM	ML


SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL : AISI 4140 / 4142 STEEL SHEET OR PLATE
MINIMUM ROCKWELL C = 28 Rc
MAXIMUM ROCKWELL C = 32 Rc

SPECIFICATION: ASTM A829, AMS 6395

PART NUMBER:
MT-4140-S-(T.TTT) x (W.WWW)
WHERE "T.TTT" = THICKNESS IN INCHES
WHERE "W.WWW" = WIDTH IN INCHES (OPTIONAL FOR SPECIFYING CUT PLATE)

EX. 0.063" THICK SHEET = MT-4140-S-0.063
EX. 3.5" WIDE BY 0.500" THICK PLATE = MT-4140-S-0.500X3.500



DART
AEROSPACE
Needham, Ontario, Canada

TITLE		AISI 4140 / 4142 STEEL SHEET OR PLATE	
PART NO	MT-4140-S	REV	A
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES DIMENSIONS APPLY AFTER FINISHING			
INITIALS AND DATE		DESIGNED BY: VM 27/3/2018	
DRAWN BY: VM 02/13/2018		CHECKED BY: VM 02/13/2018	
APPROVED BY: ML 02/13/2018		TOLERANCES: ± .18	
APPROVED BY: ML 02/13/2018		SURFACE: XX ± .01	
APPROVED BY: ML 02/13/2018		ANGLES: ± .5°	
APPROVED BY: ML 02/13/2018		SCALE: NTS	
APPROVED BY: ML 02/13/2018		SHEET 1 OF 1	
COPYRIGHT © 2018 BY DART AEROSPACE LTD			
THIS DOCUMENT IS UNCLASSIFIED AND IS NOT TO BE RELEASED OR DISCLOSED FOR THE PURPOSE OF THE PATENT ACT OR THE PATENT ACT OF THE UNITED STATES OF AMERICA.			

note

8 7 6 5 4 3 2 1

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MT-4140-S-0.750
 DATE: 18/10/02

PO / BATCH NO.: P0041051 / S115229

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 11.25sf
 QUANTITY INSPECTED: 11.25sf
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.750"
 THICKNESS RECEIVED: 0.750"
 SHEET SIZE ORDERED: 11.333sf
 SHEET SIZE RECEIVED: 11.25sf

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	ASTM A-829
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(Y)	N	MT: 94790
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AT</u> DATE: <u>18/10/02</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

BOLLINGHAUS
STEEL

Bollinghaus Steel, SA
DIN EN ISO 9001:2008
TÜV CERT No. 01 100 030450

Absolutesprüzzeugnis/Full Test Certificate/Certif. de Qualidade

EN 10204:2004 / 3.1

No.: / Nr.: / N.º:

0000136628

Unsere Innere Verweisung / Our Int. Ref / ref int

Datum / Date / Data

5000038278 000010

19.12.2017

Spezifikation / Standards / Normas

TYPE 304/UNS S30400 and TYPE 304L/UNS S30403 ecc. to ASTM A276/A276M-16a, ASTM A182/A182M-16a, ASTM A193/A193M-16, ASTM A479/A479M-16a, ASTM A320/A320M-15a, ASTM A314-15, ASTM A262-15 Pract. E, AMS QQ-S-783D, AMS 5630J, AMS 5847X, ASME SA479/SA479M, ASME SA276, ASME SA182/182M, ASME SA 193/SA193M, ASME SA320/SA320M, NACE MR0175-2015, execution as per ASTM A484/A484M-16.

Kunde / Customer / Cliente

Endgültiger Kunde / Final Customer / Cliente Final

Bestell Nr./Order Nr./Enc.Nr. c110766

Bestell Nr./ Order Nr / Enc.Nr. c110766.1

Produktgruppe / Product Group / Grupo Produto

AISI 304L FLAT 1/4 X 1/2"

Gewicht / Weight / Peso

1.059 lb

Bunde / Bundle / Atados

01

Werkstoff-Nr.

Material-no.

Qualidade

1.4307

Werkstoff-Normbezeichnung / Material standard grade / Norma do material

X 2 CrNi 18-9

Beschreibung / Description / Descrição

Stainless steel flat bars, hot rolled, heat treated, straightened and pickled
US DEAR 255-256-7000. MELT SOURCE: France / MFG: Portugal.

Schmelzen Nr.
Cast nr. / Fusão nr.

67736108

Chemische Analyse in % / Chemical composition in % / Análise química em %

EAF-AOD

C	0.018	Si	0.525	Mn	1.154	P	0.029	S	0.025	Cr	18.127	Ni	8.045
Mo	0.376	Co	0.117	Cu	0.408	N	0.080	Ti	0.002	-	-	-	-

Proben Nr.
Test no.
Amostra no.

4036951.01.01

ASTM E399

Kerbschlagarbeit
Impact Test
Resiliência

{Charpy V}

[J]

[KJ]

48

57

93

53.9

56.4

70.1

ASTM A370

Zugfestigkeit
Tensile strength
Tensão de tração

Rm

[Ksi]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

[%]

Visuelle Kontrolle
Visual inspection
Inspeção visual

Ok

ASTM E10

Härte
Hardness
Dureza

195

[HB]

ASTM A262 Practice E

Korrosionsbeständigkeit
IC Test

Carroço Intermetálica

OK

Abnahmebeauftragter
Authorized inspection Representative
Inspector de Qualidade

396

Vasco Ferreira (S. VF)

Wärmebehandlung
Heat treatment
Tratamento térmico

Annealed Quenched 1900 °F (1050 °C)

(water quenched)

ASTM A484
Maßkontrolle
Dimensional inspection
Inspeção dimensional

Ok

ASTM E112

Korngröße
Grain size
Tamanho de grão

9

Verwechslungsprüfung
Test of identity
Teste de identificação

Ok

Mikroskopische Untersuchung
Macrographic test

Material free from
segregation defects.

Ok

Bemerkungen / Remarks / Observações

Country of origin: Portugal, No weld repair done.
Material is free of mercury and radiation contamination.

Bollinghaus Steel, SA

Hiermit bestätigen wir, dass das Material der oben genannten
Spezifikation entspricht.

We confirm that this material meets the specification according
the mentioned standards.

Confirmamos que este material respeta as especificações
de acordo com as normas referidas.

019206

SPECIFICATION CONTROL DRAWING

△ PURCHASE MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
(NOTE: AISI 303 NOT ACCEPTABLE)

△ SPECIFICATION:

PART NUMBER:

ASTM A276 OR ASTM A240
M304B | T.TTT | X | WWW.WWWW |
| THICK | | WIDTH |

WHERE "T.TTT" = THICKNESS IN INCHES
AND "WWW.WWWW" = WIDTH IN INCHES

△ EG. 0.5" X 3.0" BAR = M304B0.500X03.000
△ EG. 0.5" X 12.0" PLATE = M304B0.500X12.000

RELEASED
JUL 2010 -11-30

C	ADDED PLATE TO PURCHASE MATERIAL, ADDED PLATE RELATED SPECIFICATIONS, AND EG. CHANGED TITLE FROM "304/316 BAR" TO "304/316 BAR/PLATE"	MB	10.11.25
B	REFORMAT DWG. ADD SPECS (ZIN D6-1).	CP	09.07.15
A	NEW ISSUE	PH	05.06.10
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.11.25		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M304B		REV. C	
TITLE 304/316 BAR/PLATE		SHEET 1 OF 1	
SCALE NTS		DATE	
COPYRIGHT © 2005 BY DART AEROSPACE LTD ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304B0.250x0.500

PO / BATCH NO.: P004/051/S115233

DATE: 18/10/02

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 0.250"

QUANTITY RECEIVED: 502 S20ft

THICKNESS RECEIVED: 0.250"

QUANTITY INSPECTED: 502 S20ft

SHEET SIZE ORDERED: —

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y	N	ASTM A276
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	MT: 67736108
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AT</u>	SIGNED OFF BY: _____
DATE: <u>18/10/02</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in